

## SPECIFICATIONS

Cast brass or ductile iron body with drop clappers, type and size of outlet and number of inlets as selected by model number. Polished brass plate with lettering as selected. Polished brass double female snoots with rigid end 3" N.P.T. x 2-1/2" pin lug hose thread swivels, pin lug plugs and chains. Outlet location as selected by suffix letters.

## MODEL SELECTION

### TWO-WAY

- \*5114 4" Back Outlet
- \*5116 6" Back Outlet
- \*5134 4" Angle Outlet
- \*5136 6" Angle Outlet
- \*5154 4" End Outlet
- \*5156 6" End Outlet

### FOUR-WAY

- 5206 6" Back Outlet
- \*5216 6" Back Outlet
- 5226 6" Angle Outlet
- \*5236 6" Angle Outlet
- 5246 6" End Outlet
- \*5256 6" End Outlet


### SIX-WAY

- 5306 6" Back Outlet
- 5308 8" Back Outlet
- 5326 6" Angle Outlet
- 5328 8" Angle Outlet
- 5346 6" End Outlet
- 5348 8" End Outlet

### FOUR-WAY SQUARE

- 5406 6" Back Outlet
- \*5416 6" Back Outlet
- 5426T 6" Top Outlet
- 5426B 6" Bottom Outlet
- \*5436T 6" Top Outlet
- \*5436B 6" Bottom Outlet

NOTE: \* = UL Listed



## PRODUCT OPTIONS

### FINISHES:

- D Polished Chrome Plated

### VARIATIONS:

- F Sillcock Flange Plate with Sillcock

### THREADS:

- N.S.T.
- Other \_\_\_\_\_

### LETTERING AVAILABLE:

- STANDPIPE
- DRY STANDPIPE
- AUTO. SPKR.
- AUTO. SPKR. STANDPIPE
- Other \_\_\_\_\_

Call Potter Roemer - Fire Pro for current listings and approvals. Dimensions are subject to manufacturer's tolerance and may change without notice. Potter Roemer - Fire Pro assumes no responsibility for use of void or superseded data. © Copyright Potter Roemer - Fire Pro, Member of Morris Group International™ Please visit [potterroemer.com](http://potterroemer.com) for most current specifications.

**5100-5400 SERIES** Date: 4/06/20

**MEMBERSHIP**



FIRE EQUIPMENT  
MANUFACTURERS'  
ASSOCIATION

**ONFSA**  
NATIONAL IRRE SPRINKLER ASSOCIATION, INC.











## POTTER ROEMER/FIRE PRO

Headquarters:  
P.O. Box 3527  
City of Industry, CA  
91744 U.S.A.  
Los Angeles Area  
800-366-3473  
626-855-4890

Also in:  
New York (800) 526-4592  
Chicago (800) 547-3473  
Atlanta (800) 762-0542  
Miami (833) 744-3473  
Dallas (866) 644-3473

[www.potterroemer.com](http://www.potterroemer.com)



FOR DIMENSIONAL DATA  
PLEASE SEE PAGE 3

Call Potter Roemer - Fire Pro for current listings and approvals. Dimensions are subject to manufacturer's tolerance and may change without notice. Potter Roemer - Fire Pro assumes no responsibility for use of void or superseded data. © Copyright Potter Roemer - Fire Pro, Member of Morris Group International™ Please visit [potterroemer.com](http://potterroemer.com) for most current specifications.

**5100-5400 SERIES**

**MEMBERSHIP**



FIRE EQUIPMENT  
MANUFACTURERS'  
ASSOCIATION

**ONFSA**  
NATIONAL OPEN SPRINKLER ASSOCIATION, INC.



**CASPE**  
American Society of  
Plumbing Engineers



**POTTER ROEMER/FIRE PRO**

Headquarters:  
P.O. Box 3527  
City of Industry, CA  
91744 U.S.A.  
Los Angeles Area  
800-366-3473  
626-855-4890

Also in:  
New York (800) 526-4592  
Chicago (800) 547-3473  
Atlanta (800) 762-0542  
Miami (833) 744-3473  
Dallas (866) 644-3473

[www.potterroemer.com](http://www.potterroemer.com)

**MODEL DIMENSIONS**

OUTLET LOCATION			No. Inlets	Outlet Size	Body Material	Dimensions				
Back Model No.	Angle Model No.	End Model No.				A	B	C	D	E
<b>Two-Way</b>										
*5114	*5134	*5154	2	4	Ductile Iron	5 1/4	14	15	-	7 1/2
*5116	*5136	*5156	2	6	Ductile Iron	7 3/4	14	15	-	7 1/2
<b>Four-Way</b>										
5206	5226	5246	4	6	Brass	7 3/4	29	30	-	8 1/2
*5216	*5236	*5256	4	6	Ductile Iron	7 3/4	29	30	-	8 1/2
<b>Six-Way</b>										
5306	5326	5346	6	6	Brass	7 3/4	43	44 1/4	-	8 1/2
5308	5328	5348	6	8	Brass	9 3/4	43	44 1/4	-	8 1/2
<b>Four-Way Square</b>										
5406	5426	-	4	6	Brass	7 1/2	12	-	8 3/4	8
*5416	*5436	-	4	6	Ductile Iron	7 1/2	12	-	8 3/4	8

NOTE: \* = UL Listed

ALL DIMENSIONS IN INCHES

Call Potter Roemer - Fire Pro for current listings and approvals. Dimensions are subject to manufacturer's tolerance and may change without notice. Potter Roemer - Fire Pro assumes no responsibility for use of void or superceded data. © Copyright Potter Roemer - Fire Pro, Member of Morris Group International™ Please visit [potterroemer.com](http://potterroemer.com) for most current specifications.

**5100-5400 SERIES**

**MEMBERSHIP**



FIRE EQUIPMENT  
MANUFACTURERS'  
ASSOCIATION



**POTTER ROEMER/FIRE PRO**

Headquarters:  
P.O. Box 3527  
City of Industry, CA  
91744 U.S.A.  
Los Angeles Area  
800-366-3473  
626-855-4890

Also in:  
New York (800) 526-4592  
Chicago (800) 547-3473  
Atlanta (800) 762-0542  
Miami (833) 744-3473  
Dallas (866) 644-3473

[www.potterroemer.com](http://www.potterroemer.com)